



Montana Department of Transportation
PO Box 201001
Helena, MT 59620-1001

Construction Memorandum

To: District Construction Engineers

From: Paul Jagoda, P.E.
Construction Engineering Services Engineer

Date: March 12, 2004

Subject: International Roughness Index (IRI) Testing

This Construction Memo develops a uniform process for using pre-paving IRI values.

To provide uniformity, use the following guidelines for the use of the pre-paving IRI. Please reference the Special Provision for Ride Specification for Flexible Pavement in your project's contract documents.

- The initial IRI data used to determine the project classification for the letting needs to be gathered prior to letting the contract. The prebid measurement should be done by the District Lab, as close to the project letting date as possible. Pavement Management's network results may be used if the District is unable to do the testing.
- IRI data used to determine the project classification and to be used to determine the pay adjustment factors should be measured within eight (8) months of the contract letting date. It is preferable to do this testing as close to the letting date as possible. This testing should be done by the District Lab, although the Pavement Analysis Section of the Materials Bureau can also do it.
- Under normal circumstances, a new prepaving IRI measurement should not be made once the project has been let. A check of the original measurement may be made in the following circumstances:
 1. If the original measurement was made more than twelve (12) months prior to the scheduled start of paving and a remeasurement is requested by the contractor.
 2. If the contractor requests a remeasurement and the Engineering Project Manager believes there is a possibility the classification of the project may have changed from the classification in the contract. IRI measurements do not degrade significantly in a year, so EPM's should remember this should only be done in unique circumstances.
- A pre-paving IRI should never be run when the condition of the roadway is affected by frost in any way.
- If a different Project Classification results from the pre-paving IRI measured after the project letting, a change order must be written to reflect the new project classification.

For additional information, please contact your District's Construction Engineering Services Reviewer.

This memo is rescinded five years from the date of issuance if not updated.

PJ/MS/pe

CC:	EPMs	District Office Engineers	CES Bureau	Lisa Durbin, PE
	Mark Wissinger, PE	FHWA Operations Engineers	Joel Marshik, PE	DAs
	Greg Kovich	Area Lab Supervisors	Kent Barnes, PE	Scott Barnes, PE
	Jon Watson, PE	District Materials Supervisors		